

7600⁺

Objective Solved
Questions

Volume-1

Strength of Materials
Fluid Mechanics

MCOQ

CIVIL ENGINEERING

Topic Wise Objective Question & Answer with Solution

Topic Wise Presentation

Thoroughly Revised & Updated

Also Useful for

**State Engineering Service Examinations,
Public Sector Examination**

&

Other Competitive Examinations.

 **EAPublications**
ENGINEERS ACADEMY PUBLICATIONS

Log on to : www.eapublications.org | Ph. : 08094441777



Publisher and Distributor

Engineers Academy Publications

100-102, Ram Nagar, Bambala Puliya, Toll Tax,
Tonk Road, Pratap Nagar, Jaipur (Rajasthan)-302033
E-Mail : engineers.academy.india@gmail.com

All Rights Reserved :

This book or part there of cannot be translated or reproduced in any form (except for review or criticism) without the written permission from the Publishers.

ISBN : 978-93-93531-41-4

First Edition : 2025

Without prior written permission of publisher and author, no person/publisher/institute should use full part of the text/design/question/material of the book. If any body/publisher/institute is found in default legal action will be taken accordingly.

Price : ₹ 600.00

Although every effort has been made to avoid mistakes and omissions, there may be possibility some mistakes been left inadvertently. This book is released with the understanding that neither author nor publisher will be responsible in any manner for mistakes/premissions in the book. Dispute, if any, shall be subject to Jaipur (Rajasthan) Jurisdiction only.



DIRECTOR'S *Message*

To reach heights one must start climbing and if the journey is difficult then perseverance is the key to success. As a teacher we have realized over past years that success in any competitive exam requires hard work and proper guidance. **Engineers Academy** with its unique teaching methodologies has always proved that we meet the expectations of thousands of students and parents to make their dreams come true. With changing patterns, we have adapted ourselves to deliver the best and ensure better results.

This book has been organized and executed with a lot of care, dedication and passion for lucidity. A conscious attempt has been made to simplify the concepts to facilitate better understanding of the subject.

Engineers Academy has many successful stories of students who secured All India Rank in ESE, GATE, PSUs and JEn. Now we invite you to become a part of Engineers Academy to explore and achieve ultimate goal of your life. We promise to provide you quality guidance with competitive environment which is far advanced and ahead than the reach of other institution.

We would feel satisfied if the book meets the needs of the students for whom it is meant.

Lastly, we are thankful to all the engineers, authors whose work has been the source of enlightenment, inspiration and guidance in presenting this book.

It is hoped that the book in its new form will enjoy its ever increasing popularity.

Regards

Dr. Pankaj Goyal



Preface

This book has been written to meet the growing requirements of candidates appearing for BSNL, DRDO, ISRO, BARC, ECIL, TTA, RRB-JE, State and Public Sector Engineering Examinations. Though every candidate has ability to succeed but competitive environment, in-depth knowledge, quality guidance, time management and good source of study is required to achieve goals.

This book includes Multiple Choice Questions (MCQ) which works as a mock exam practice for the reader. Questions of all the subject have been organized in systematic, concepts oriented and error less manner so that it become easy and interesting for even a beginner to understand. It is a very convenient book and must be solved by candidate aiming for competitive exams.

After solving this booklet students can feel encouraged and develop confidence to attempt each and every type of numerical as well as theoretical problems. Each problems explains solving approach so that at the end, so the reader is well equipped to be able to apply any type of problem solving requirement and distinctly choose one strategy or type from the other.

We hope this book will be proved an important tool to succeed in BSNL, DRDO, ISRO, BARC, ECIL, TTA, RRB-JE, State and Public Sector Engineering Examinations.

It is earnestly hoped that with the extensive additions and revisions, the present edition will facilitate the students not only in preparing themselves for competitive examinations but also in preparing for their regular examinations and prove more useful to the students than the earlier editions.

Even though, enough readings were given for correcting the error and printing mistakes, due to human tendency there could be some minor types in the book. If any such types found, they will be highly appreciated and in incorporated in the next edition. Also, please provide your valuable suggestions at : engineers.academy.india@gmail.com

Wish you all the best. Have a nice reading.

Team of
Engineers Academy Publications

CONTENTS

S.No.	TOPIC	Page No.
1.	Strength of Materials	03 – 90
2.	Fluid Mecanics	93 – 204

UNIT-I

STRENGTH OF MATERIALS

1.	Introduction	03 – 14
2.	Axially Loaded Members	15 – 23
3.	Shear force and bending moment	24 – 34
4.	Stresses in Beams	35 – 49
5.	Analysis of stress and strain	50 – 60
6.	Torsion of shafts	61 – 68
7.	Deflection beams	69 – 74
8.	Theories of failure	75 – 77
9.	Columns & Springs	78 – 85
10.	Strain Energy and Spring	86 – 90



ENGINEERS ACADEMY[®]

Your GATEway to Professional Excellence

IES • GATE • PSUs • JTO • IAS • NET

INTRODUCTION

CHAPTER**1****OBJECTIVE QUESTIONS**

1. Actual rupture stress is
 - (a) Breaking stress
 - (b) Maximum load/original cross-sectional area
 - (c) Load at breaking point/true strain
 - (d) Load at breaking point/neck area
2. Elasticity of various materials is controlled by its
 - (a) Ultimate tensile stress
 - (b) Proof stress
 - (c) Stress at yield point
 - (d) Stress at elastic limit
3. Ratio of lateral strain to linear strain within elastic limit, is known as
 - (a) Young's modulus
 - (b) Bulk modulus
 - (c) Modulus of rigidity
 - (d) Poisson's ratio
4. Ratio of direct stress to volumetric strain in case of a body subjected to three mutually perpendicular stress of equal intensity, is
 - (a) Young's modulus
 - (b) Bulk modulus
 - (c) Modulus of rigidity
 - (d) None of the above
5. If a material expands freely due to heating it will develop
 - (a) Thermal stresses
 - (b) Tensile stress
 - (c) No stress
 - (d) Bending
6. In a tensile test, near the elastic limit zone,
 - (a) Tensile strain increases more quickly
 - (b) Tensile strain decreases more quickly
 - (c) Tensile strain increases in proportion to the stress
 - (d) Tensile strain decreases in proportion to the stress
7. The property of a material by virtue of which it can be beaten or rolled into plates is called
 - (a) Malleability
 - (b) Ductility
 - (c) Plasticity
 - (d) Elasticity
8. Change in the unit volume of a material under tension with increase in its Poisson's ratio will
 - (a) Increase
 - (b) Decrease
 - (c) Remain same
 - (d) Unpredictable
9. The phenomenon of slow extension of the material, i.e. stress increasing with the time at a constant load is called
 - (a) Creeping
 - (b) Yielding
 - (c) Breaking
 - (d) Plasticity
10. For steel, the ultimate strength in shear as compared to in tension is nearly
 - (a) same
 - (b) half
 - (c) one-third
 - (d) two-third

11. Tensile strength of a material is obtained by dividing the maximum load during the test by the
- Area at the time of fracture
 - Original cross-sectional area
 - Average of (a) and (b)
 - Minimum area after fracture
12. Maximum elastic strain energy that can be stored in a body is known as
- Impact energy
 - Resilience
 - Proof resilience
 - None of the above
13. Proof stress
- Is the safest stress
 - Causes a specified permanent deformation in a material, usually 0.1%-0.2%
 - Is used in connection with materials like mild steel
 - Does not exist
14. A material having same properties in all directions at a given point is known as
- Orthotropic material
 - Isotropic material
 - Elastic material
 - Homogenous material
15. The Bulk modulus K , the modulus of rigidity N and Poisson's ratio $1/m$ are related by
- $\frac{1}{m} = \frac{9KN}{3K + N}$
 - $\frac{1}{m} = \frac{3K - 2N}{2N + 6K}$
 - $\frac{1}{m} = \frac{6K + 2N}{3K - 2N}$
 - None of the above
16. The stress at which extension of the material takes place more quickly as compared to the increase in load is called
- Elastic point of the material
 - Plastic point of the material
 - Breaking point of the material
 - Yielding point of the material
17. When it is indicated that member is elastic, it means that when force is applied, it will
- Not deform
 - Be safest
 - Stretch
 - Not stretch
18. A material capable of absorbing large amount of energy before fracture is known as
- ductility
 - toughness
 - resilience
 - shock proof
19. If the thickness and width of each plate of a laminated spring be t and w respectively, then its moment of inertia is equal to
- $\frac{wt^3}{12}$
 - $\frac{t^2w^3}{12}$
 - $\frac{wt^2}{12}$
 - $\frac{tw^2}{12}$
20. During a tensile test on a specimen of 1cm^2 cross-section, maximum load observed was 8 tonnes and area of cross-section at neck was 0.5cm^2 . Ultimate tensile strength of specimen is
- 4 tonnes/ cm^2
 - 8 tonnes/ cm^2
 - 16 tonnes/ cm^2
 - 22 tonnes/ cm^2
21. A material obey's hooke's law up to
- Plastic limit
 - Elastic limit
 - Yield point
 - Limit of proportionality
22. True stress-strain curve for materials is plotted between
- Load/original cross-sectional area and change in length/original length
 - Load/instantaneous cross-sectional area and $\log_e \left(\frac{\text{Original area}}{\text{Instantaneous area}} \right)$
 - Load/instantaneous cross-sectional area and change in length/original length
 - Load/instantaneous area and instantaneous area/original area

23. The intensity of stress which causes unit longitudinal is called
- Unit stress
 - Modulus of rigidity
 - Bulk modulus
 - Modulus of elasticity
24. Modulus of rigidity is defined as the ratio of
- Longitudinal stress and longitudinal strain
 - Volumetric stress and volumetric strain
 - Lateral stress and lateral strain
 - Shear stress and shear strain
25. The ultimate tensile stress of mild steel compared to ultimate compressive stress is
- Same
 - More
 - Less
 - Unpredictable
26. Modular ratio of two materials is the ratio of
- Strains
 - Stress and strain
 - Shear stress and shear strain
 - Moduli of elasticity
27. Elasticity of a M.S. specimen is defined by
- Hooke's law
 - Yield point
 - Plastic flow
 - Proof stress
28. If a material is loaded beyond yield point stress
- It becomes elastic
 - It becomes ductile
 - Its resistance to fatigue increases
 - It loses its tendency to return to its original shape
29. A cylindrical section having no joint is known as
- Jointless section
 - Homogeneous section
 - Perfect section
 - Seamless section
30. The bulk modulus of a material is defined as the ratio of
- Volume change to modulus of elasticity
 - Stress intensity to volumetric strain
 - Volume change to original volume
 - Pressure applied to the change in volume
31. During the tensile test of a glass rod the nature of stress-strain curve is
- Straight and dropping
 - Sudden break
 - Straight line
 - Parabolic
32. Modulus of resilience is
- Property to resist shocks
 - The property to store energy without undergoing permanent deformation
 - An index of elasticity
 - An index of compressibility
33. Moment of inertia of a square of side d about the diagonal is
- $\frac{d^4}{12}$
 - $\frac{d^4}{18}$
 - $\frac{d^4}{24}$
 - $\frac{d^4}{8}$
34. Disruptive strength is the maximum strength of a metal.
- When subjected to three principal tensile stresses at right angles to one another and all of equal magnitude.
 - When loaded in tension
 - When loaded in compression
 - When loaded in shear
35. Radius of gyration for a circular section is
- Directly proportional to the diameter of the section
 - Square root of the diameter of the section
 - Inversely proportional to the diameter of the section
 - None of the above
36. Strain energy stored in a body of volume V with stress due to gradually applied load is
- $\frac{\sigma E}{V}$
 - $\frac{\sigma E^2}{V}$
 - $\frac{\sigma V^2}{E}$
 - $\frac{\sigma^2 V}{2E}$

ANSWERS AND EXPLANATIONS

1. *Ans. (d)*
2. *Ans. (d)*
3. *Ans. (d)*
4. *Ans. (b)*
5. *Ans. (c)*
6. *Ans. (a)*
7. *Ans. (a)*
8. *Ans. (b)*

$$\frac{P}{\Delta V/V} = k = \frac{E}{3(1-2\mu)}$$

as $\mu \uparrow \rightarrow k \uparrow \rightarrow \Delta V \downarrow$

9. *Ans. (a)*
10. *Ans. (d)*
11. *Ans. (b)*
12. *Ans. (c)*
13. *Ans. (b)*
14. *Ans. (b)*
15. *Ans. (b)*
16. *Ans. (d)*
17. *Ans. (c)*
18. *Ans. (b)*
19. *Ans. (a)*
20. *Ans. (b)*

$$\begin{aligned} \sigma_{\text{ultimate}} &= \frac{\text{load}}{\text{original cross sectional area}} \\ &= \frac{8}{1} = 8 \text{ tonnes/cm} \end{aligned}$$

21. *Ans. (d)*
22. *Ans. (b)*
23. *Ans. (d)*

$$E = \frac{\sigma}{\varepsilon} \text{ when } \varepsilon = 1 \Rightarrow \sigma = E$$

24. *Ans. (d)*
25. *Ans. (b)*

26. *Ans. (d)*
27. *Ans. (c)*
28. *Ans. (d)*
29. *Ans. (d)*
30. *Ans. (b)*

$$K = \frac{P}{\Delta V/V} = \frac{\sigma}{\varepsilon_v}$$

31. *Ans. (b)*
32. *Ans. (b)*
33. *Ans. (a)*
34. *Ans. (a)*
35. *Ans. (a)*
36. *Ans. (d)*
37. *Ans. (d)*
38. *Ans. (a)*
39. *Ans. (d)*
40. *Ans. (b)*
41. *Ans. (b)*
42. *Ans. (d)*
43. *Ans. (b)*
44. *Ans. (c)*
45. *Ans. (a)*

46. *Ans. (d)*
47. *Ans. (c)*
48. *Ans. (d)*

$$\mu = - \left(\frac{\text{Lateral strain}}{\text{Longitudinal strain}} \right)$$

Lateral strain = $-\mu$ longitudinal strain

49. *Ans. (b)*
50. *Ans. (b)*
51. *Ans. (d)*
52. *Ans. (b)*

53. *Ans. (c)*

Stress relaxation is decrease in stress in response to same amount of strain

This is because structure is kept in strained condition for some finite interval of time

54. *Ans. (b)*

55. *Ans. (d)*

56. *Ans. (a)*

$$E = 3k (1 - 2\mu)$$

57. *Ans. (a)*

58. *Ans. (b)*

$$E = 2C(1 + \mu)$$

$$1.25 \times 10^{11} = 2C[1.34]$$

$$1.25 \times 10^{11} = 2.68 \times C$$

$$0.4664 \times 10^5 \text{ MPa} = C$$

59. *Ans. (a)*

$$E = 2 \times 10^6 \text{ kg/cm}^2$$

$$C = 0.8 \times 10^6 \text{ kg/cm}^2$$

$$E = 2C(1 + \mu)$$

$$2 \times 10^6 = 2 \times 0.8 \times 10^6 (1 + \mu)$$

$$\frac{2}{1.6} = 1 + \mu$$

$$1.25 = 1 + \mu$$

$$\mu = 0.25$$

60. *Ans. (d)*

61. *Ans. (a)*

$$E = 2C (1 + \mu)$$

$$125 = 2C [1.25]$$

$$125 = 2.50C$$

$$\frac{125}{2.50} = C$$

$$50 = C$$

62. *Ans. (d)*

63. *Ans. (a)*

64. *Ans. (b)*

Proof resilience : Energy stored upto elastic limit.

65. *Ans. (b)*

66. *Ans. (d)*

67. *Ans. (d)*

$$(\text{Strain energy})_{\text{shaft}} = \frac{1}{2} \times T \times \theta \quad \dots(i)$$

From torsion equation

$$\frac{T}{J} = \frac{\tau_s}{R} = \frac{G\theta}{l}$$

$$\theta = \frac{TL}{GJ}$$

From equation (i)

$$(\text{S.E})_{\text{shaft}} = \frac{1}{2} \times T \times \frac{TL}{GJ}$$

$$(\text{S.E})_{\text{shaft}} \propto \frac{1}{GJ}$$

68. *Ans. (c)*

Isotropic material = Same elastic property in all direction at a given point

69. *Ans. (d)*

70. *Ans. (d)*

71. *Ans. (c)*

C.I is brittle material and brittle material along have fracture along oblique plane.

72. *Ans. (a)*


$$I_{xx} = \frac{bd^3}{12} = \frac{80 \times 10^3}{12} \\ = 6666.66 \text{ mm}^4$$

73. *Ans. (a)*

74. *Ans. (c)*

75. *Ans. (d)*

76. *Ans. (a)*

77. *Ans. (b)*

$$I_{\text{base}} = I_{\text{CG}} + Ay^2$$

$$= \frac{bd^3}{12} + (bd) \times \left(\frac{d}{2}\right)^2$$

$$= \frac{bd^3}{12} + \frac{bd \times d^2}{4}$$

$$= \frac{bd^3}{12} + \frac{bd^3}{4} = \frac{4bd^3}{12}$$

$$I_{\text{base}} = \frac{bd^3}{3}$$

$$\frac{I_{\text{C.G.}}}{I_{\text{base}}} = \frac{bd^3 \times 3}{12 \times bd^3}$$

$$\frac{I_{\text{C.G.}}}{I_{\text{base}}} = \frac{1}{4}$$

78. *Ans. (d)*79. *Ans. (b)*80. *Ans. (d)*81. *Ans. (a)*82. *Ans. (d)*83. *Ans. (b)*84. *Ans. (a)*85. *Ans. (a)*86. *Ans. (b)*87. *Ans. (b)*88. *Ans. (c)*89. *Ans. (d)*90. *Ans. (a)*91. *Ans. (d)*92. *Ans. (b)*93. *Ans. (c)*94. *Ans. (b)*95. *Ans. (d)*96. *Ans. (d)*97. *Ans. (d)*

$$G = 100 \text{ GPa}$$

$$\mu = 0.25$$

$$E = 2G[1 + \mu]$$

$$= 2 \times 100 \times [1 + 0.25]$$

$$= 2 \times 100 \times 1.25$$

$$= 2.50 \times 100$$

$$= 250 \text{ GN/m}^2$$

98. *Ans. (a)*

$$E = 200 \text{ GN/m}^2$$

$$\mu = 0.25$$

$$E = 2G[1 + \mu]$$

$$G = \frac{E}{2[1 + \mu]} = \frac{200}{2 \times 1.25}$$

$$= 80 \text{ GN/m}^2$$

99. *Ans. (c)*100. *Ans. (c)*101. *Ans. (a)*102. *Ans. (b)*103. *Ans. (d)*104. *Ans. (b)*105. *Ans. (a)*106. *Ans. (c)*107. *Ans. (d)*108. *Ans. (a)*109. *Ans. (c)*110. *Ans. (a)*111. *Ans. (c)*112. *Ans. (a)*